



Declaration of Conformity

according to the UK regulations

2016 No. 1091	The Electromagnetic Compatibility Regulations 2016
2016 No. 1107	The Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016
2012 No. 3032	The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The devices:

Manufacturer:	Pfannenberg GmbH
Product:	Sounder
Type:	DS5-3G/3D, DS5-TAV-3G/3D, DS5-TAS3G/3D, DS10-3G/3D, DS10-TAV-3G/3D, DS10-TAS3G/3D, DS10-MX-3G/3D, DS10-MX-TAV-3G/3D

were developed, designed and manufactured to comply with the above-mentioned UK regulations, under the sole responsibility of:

Pfannenberg GmbH
Werner-Witt-Str. 1
D-21035 Hamburg

The following designated standards were applicable:

EN 61000-6-2:2005 + AC:2005	Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity for industrial environments
EN 61000-6-3 2007 + A1:2011	Electromagnetic compatibility (EMC) - Part 6-3: Generic standards - Emission standard for residential, commercial and light-industrial environments
EN 60529:1991 + A1:2000 + A2:2013	Degrees of protection provided by enclosures (IP Code)
EN 60947-1:2007 + A1:2011 + A2:2014	Low-voltage switchgear and controlgear - Part 1: General rules
EN IEC 60079-0 2018	Explosive atmospheres - Part 0: Equipment - General requirements
EN IEC 60079-7 2015/A1:2018	Explosive atmospheres - Part 7: Equipment protection by increased safety "e"
EN 60079-31 2014	Explosive atmospheres - Part 31: Equipment dust ignition protection by enclosure "t"
EN 50130-4 2011 + A1:2014	Alarm systems - Part 4: Electromagnetic compatibility - Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems
EN IEC 63000 2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

The following other technical specifications were applicable:

EN 54-3 2001 + A1 2002 + A2:2006	Fire detection and fire alarm systems - Part 3: Fire alarm devices - Sounders
EN 981:1996+A1:2008	Safety of machinery - System of auditory and visual danger and information signals

The manufacturer is in possession of the technical documentation, the installation/operation instruction is attached to the device. The safety references are to be considered. This explanation certifies the agreement with the guidelines mentioned. Year of affixing the UKCA-mark: 21

The devices can be used in Ex-zones 2 and 22

- II3G Ex ec IIC T4 Gc -25°C ≤ Ta ≤ +55°C (außer / except 24Vac)
- II3G Ex ec IIC T3 Gc -25°C ≤ Ta ≤ +55°C (nur / only 24Vac)
- II3D Ex tc IIIB T135°C Dc IP66/67 -25°C ≤ Ta ≤ +55°C

Hamburg, September-21

Rev No 00

P/N 085507014

Nils-Peter Halm

Technical Director